EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5 $3install runtime run-time dynamic) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal))	US-PGPUB; USPAT	OR	ON	2007/11/09 09:56
S1	10427	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5 $3install runtime run-time dynamic) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/09 10:52
S2	3958	S1 and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal))	US-PGPUB; USPAT	OR	ON	2007/11/09 10:54

S3	289	S2 and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))).ab. and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal))	US-PGPUB; USPAT	OR	ON	2007/11/09 09:58
S4	10461	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5 $3install runtime run-time dynamic factory built-in) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node))) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:55
S5	70	S4 and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal)) and ((url uri) near9 (xml schema))	US-PGPUB; USPAT	OR	ON	2007/11/09 11:56
S6	0	S5 and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))).ab. not S3	US-PGPUB; USPAT	OR	ON	2007/11/09 10:57
S7	605	S4 and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal)).ab. not S3	US-PGPUB; USPAT	OR	ON	2007/11/09 10:58

S8	3	S5 and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal)).ab. not S3	US-PGPUB; USPAT	OR	ON	2007/11/09 10:58
S9	0	"200200623334".pn.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:25
S10	1	"20020062334".pn.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:25
S11	1746	S4 and ((runtime run-time dynamic factory built-in) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node))))	US-PGPUB; USPAT	OR	ON	2007/11/09 11:34
S12	84	S4 and ((runtime run-time dynamic factory built-in) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))).ab.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:34
S13	42	S11 and ((url uri) near9 (xml schema)) not S3	US-PGPUB; USPAT	OR	ON	2007/11/09 11:36
S14	1	"6560633".pn.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:51
S15	5524	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5 $3install runtime run-time dynamic factory built-in) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and ("717" "718" "719").clas.	US-PGPUB; USPAT	OR	ON	2007/11/09 11:55

S16	20	S15 and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal)) and ((url uri) near9 (xml schema)) not S3	US-PGPUB; USPAT	OR	ON	2007/11/09 11:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5 $3install runtime run-time dynamic) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build bind$5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal))	US-PGPUB; USPAT	OR	ON	2007/11/09 09:52
S1	0	(@ad<"20000509" @rlad<"20000509") and (bind near4 (url uri address) near4 (dtd schema style$5))	US-PGPUB; USPAT	OR	ON	2007/10/30 13:32
S2	5	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind interface) near4 (url uri address) near4 (dtd schema style$5))	US-PGPUB; USPAT	OR	ON	2007/10/30 13:41
S3	34	((adapt$5 endpoint bind interface) near4 (url uri address) near4 (dtd schema style$5))	US-PGPUB; USPAT	OR	ON	2007/10/30 13:33
S4	20	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5) near4 (url uri address) near4 (dtd schema style$5)) not S3	US-PGPUB; USPAT	OR	ON	2007/11/08 09:32

S5	9	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near4 (url uri address) near4 (dtd schema style$5)) not (S3 S4)	US-PGPUB; USPAT	OR	ON	2007/10/30 13:53
S6	165	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address) near9 (dtd schema style$5)) not (S3 S4 S5)	US-PGPUB; USPAT	OR	ON	2007/10/30 14:43
S7	47	S6 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/10/30 13:54
S8	210	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address website webpage (web adj (site page))) near9 (dtd schema style$5)) not (S3 S4 S5 S7)	US-PGPUB; USPAT	OR	ON	2007/10/30 15:02
S9	38	S8 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/10/30 14:44
S10	518	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address website webpage (web adj (site page)) gate$3) near9 (dtd schema style$5 xml)) not (S3 S4 S5 S7)	US-PGPUB; USPAT	OR	ON	2007/11/08 09:25
S11	86	S10 and "709".clas. not S9	US-PGPUB; USPAT	OR	ON	2007/10/30 15:04

S12	208	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address website webpage (web adj (site page)) gate$3) near9 (dtd schema style$5 xml)) and ((authentic$5 authori$5 proper$5 correct$5) near9 (dtd schema style$5 xml adapt$4 interface api))	US-PGPUB; USPAT	OR	ON	2007/11/08 09:29
S13	451	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address website webpage (web adj (site page)) gate$3) near9 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3)))) and ((authentic$5 authori$5 proper$5 correct$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 10:59
S14	208	S13 and ((url uri address) near4 (dtd schema style$5 xsl ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 09:34
S15	234	S13 and ((url uri address) near4 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 09:34
S16	6	S15 and ((bind$3 cast$5) near4 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 10:55
S17	69	S15 and ((bind$3 cast$5 link$5) near4 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3)))) not S16	US-PGPUB; USPAT	OR	ON	2007/11/08 09:36

S18	657	(@ad<"20000509" @rlad<"20000509") and ((bind$3 cast$5) near4 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 10:56
S19	10	(@ad<"20000509" @rlad<"20000509") and ((bind$3 cast$5) near4 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3)))) and ((bind$3 cast$5) near9 (url uri))	US-PGPUB; USPAT	OR	ON	2007/11/08 10:56
S20	451	(@ad<"20000509" @rlad<"20000509") and ((adapt$5 endpoint bind$5 interface link$5 resolv$5 buil$5 correspond$5 receiv$5 device camera appliance) near9 (url uri address website webpage (web adj (site page)) gate$3) near9 (dtd schema style$5 xml xsl ((messag$3 data) adj (structure model representation adaptor handl$3)))) and ((authentic$5 authori$5 proper$5 correct$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 11:38
S21	155	S20 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/08 11:00
S22	21	S20 and ($3generat$5 near9 (factory built-in install$5))	US-PGPUB; USPAT	OR	ON	2007/11/08 11:16
S23	1	"6842903".pn.	US-PGPUB; USPAT	OR	ON	2007/11/08 11:37
S24	0	S20 and S23	US-PGPUB; USPAT	OR	ON	2007/11/08 11:37
S25	0	S23 and ((authentic$5 authori$5 proper$5 correct$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 12:10

S26	2915	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3)))) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/08 12:12
S27	1465	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3)))) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/08 13:57
S28	155	S26 and S20	US-PGPUB; USPAT	OR	ON	2007/11/08 12:14
S29	1311	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3)))) .ab.	US-PGPUB; USPAT	OR	ON	2007/11/08 12:31
S30	35	S29 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/08 12:30
S31	35	S30 and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 12:45
S32	1	"6560633".pn. and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))))	US-PGPUB; USPAT	OR	ON	2007/11/08 12:45

11/13/07 11:45:51 AM

C:\Documents and Settings\gbengzon\My Documents\EAST\Workspaces\GCB 09660005 Pre-generated built-in template for web ser

Page 5

S33	665	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3)))) and "709".clas. and (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3))).ab.	US-PGPUB; USPAT	OR	ON	2007/11/08 13:58
S34	683	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5 proper$5 correct$5 valid$3 credential) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))	US-PGPUB; USPAT	OR	ON	2007/11/08 14:12
S35	46	S34 and (($3generat$3 $3build) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))).ab.	US-PGPUB; USPAT	OR	ON	2007/11/08 14:03
S36	177	(@ad<"20000509" @rlad<"20000509") and ((authentic$5 authori$5) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node))) and "709".clas. and (($3generat$3 $3build) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node))) not S35	US-PGPUB; USPAT	OR	ON	2007/11/08 14:38

S37	541	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) not (S35 S36)	US-PGPUB; USPAT	OR	ON	2007/11/08 14:39
S38	1077	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) not (S35 S36)	US-PGPUB; USPAT	OR	ON	2007/11/08 14:43
S39	969	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5) adj3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) not (S35 S36)	US-PGPUB; USPAT	OR	ON	2007/11/09 09:45

S40	8	S39 and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5) adj3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))). ab. and "709".clas. and (($3generat$3 $3build) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))).ab. not (S35 S36)	US-PGPUB; USPAT	OR	ON	2007/11/08 14:45
S41	46	S39 and ((xml schema) near9 (uri url))	US-PGPUB; USPAT	OR	ON	2007/11/08 14:47
S42	1	"6560633".pn. and (device node terminal cell$5 phone computer $4station)	US-PGPUB; USPAT	OR	ON	2007/11/09 09:42
S43	1151	(@ad<"20000509" @rlad<"20000509") and ((discover search find look$3 inquir$3 indicat$3 send$3 specif$5 correct proper locat$5) adj3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and "709".clas. and (($3generat$3 $3build bind$5 cast$5 link$5) near3 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl$3 gate endpoint node)))) and (($3generat$3 $3build bind$5 cast$5 link$5) near3 (device local node cell$5 phone terminal $5station internal))	US-PGPUB; USPAT	OR	ON	2007/11/09 09:48